

SUBMITTAL DATA: GMV-60WL/A-T(U) 5-TON HEAT PUMP (MINI)

Project Name:	Date:
Purchaser:	Location:
Submitted to:	Unit Designation:
Submitted by:	Schedule Reference:




Performance		
Cooling Capacity		60,000 Btu/h
EER	Ducted	9.30
	Non-Ducted	9.70
SEER	Ducted	16.00
	Non-Ducted	16.00
Heating Capacity		66,000 Btu/h
HSPF	Ducted	8.20
	Non-Ducted	8.20

Specifications	
Air Flow	4,590 CFM
Sound Pressure Level	63 dB
Power Supply	208/230V, 1-Phase, 60Hz
Liquid Pipe Size (O.D.)	3/8"
Gas Pipe Size (O.D.)	3/4"
Connection Method	Flared
Refrigerant	R410A
Compressor Manufacturer	GREE
Compressor Type	VRF
Compressor Quantity	1
Motor Type	Inverter
Fan Quantity	2
SEER	16
Capacity Adjustment Range	15% ~ 100%
Maximum Pipe Length	360'
Condenser Fin Color	Gold
Cooling Ambient Temp.	23° ~ 118.4°F
Heating Ambient Temp.	-4° ~ 80.6 °F
Refrigerant Charge	176.4 oz
Net Weight	273.4 lbs

26-25 123rd Street, Flushing, NY 11354 · T: 718.768.8900 · F: 718.768.9088 · www.GREE-NA.com

DIMENSIONS: GMV-60WL/A-T(U)
5-TON HEAT PUMP (MINI)



Model No.	NA Code	A	B	C	D	E
GMV-60WL/A-T(U)	G5HP-CA060-3	37"	12-5/8"	56-1/4"	24-7/8"	13-3/4"



26-25 123rd Street, Flushing, NY 11354 · T: 718.768.8900 · F: 718.768.9088 · www.GREE-NA.com